





•	2017
Customer ID Order # Ship date ~214 SKU1	← Business attribute #1 206 F202
Number of orders for SKU Inventory level for SKU1 SKU2 Number of orders for SKU2 Inventory level for SKU2	1 Here Business metric #1 Business metric #2 Business metric #2 1 2 1 2 3 4 1 1 1 1 1 1 1 1 1 1 1 1
· ·	

∖FIG. 2













FIG. 7








FIG. 9




FIG. 10

			1109	
			~ 110k	<u>/</u>
Attribute name	Data type	Attribute value	Attribute #	Metric value flag
Customer	String	"SHOES INC"	1	
Order No.	Integer	42859	2	
Ship date	String	"01/04/01"		
SKU1	Integer	000195		
Number of orders – SKU1	Integer	4		
Inventory level for SKU1	Integer	97		1
SKU2	Integer	000228		ļ
Number of orders - SKU2	Integer	16		
Inventory level for SKU2	Integer	31		2

(1102

Message

Subject name 1202 Array (see FIG. 11)

FIG/12





FIG. 13



Hash key Hash value

Key 1 String 1

Key 2 String 2

FIG. 15

/	ALOZ Mappin	ig Table	604)
`	Hash key	Original record position (e.g., pointer)	
	्रोम जाम) } 16	







FIG. 17






₹Vigilance Monitor Setup - Netscape		
Files Edit - Vew Go Communicator Help	等。 第二十二章 14章 14章 14章 14章 14章 14章 14章 14章 14章 14	
N. C. R. C. S. C. S. C. S.		N_{i}
Back Forward: Reload Sul Home	Gasearch Netscape Print Security Shoot Stop	
Bookmarks // Location http://w	ww.vigilanceinc.com/demo/MonitorSetup/EVMonitorSetup.asp?Step=1	▼ (What's Related
[sa] Instant Message (图 WebMad : 图)	adio 图 People 图 Yellow Pages 图 Download 图 Calendar the Channe	de CANACA DE LA FRANCISCO DE LA COMPANION DE L
VIGILANCE	Beyer Weaver Thomas @	Vigilance Inc.
	Go To:	
New Moni	tor	@
· · · · · · · · · · · · · · · · · · ·		
1 SELECT A MONITOR ITEM	Monitor Name: [New Monitor]	
2 SPECIFY BUSINESS ATTRIBUTES		
3 SPECIFY MONITOR SETTINGS	€ Vigilance	
A CONTRACTOR OF THE PERSON NAMED IN	Customer Management	
4 EDIT NOTIFICATION LIST(S)	On-Time Delivery	<u></u>
5 SAVE AND ACTIVATE	Sales Order Did Not Ship	* :
	Finished Goods Inv Levels	
Step 1 - Select Monitor Item	Customer Returns	51:
	☐ ⊜ Sales Order Holds	
Select a Monitor Item on which to base the new Monitor.	Sales Order On Hold	
If there are any questions	Hold Release	. · · -
regarding the underlying	Manufacturing Management	M
Data Source, SQL State-	Quality	Ä
ment, or Database Adapter	Yield Rv Oneration	

FIG. 20



M. Variance Hamitor Sehip - Retscape		EOX	
File vi Edik E View (Go (Communicator L Hel			
Back results Relead Hom	Second Neurope A Paril Security Stop Stop		
The Cart of the Control of the //		What's Related	Cn.
	Rado 图 Paope 图 Yalow Pages 图 Download 图 Calendar 回 Charmets Beyer Weaver Thomas @ Vigilance Inc.	KKEN 25-27-17/20	H's
VIGILANCE	Go To:		THE THE
New Mon	itor		
1, SELECT A MOUNTOR ITEM 2 SPECIFY BUSINESS ATTRIBUTES.	Monitor Name: (New Monitor) 4 STEP 2 STEP 4 P Monitor Item: Sales Order Did Not Ship		
4 EDIT KOTIFICATION LIST(S) 5 SAVE AND ACTIVATE	Select Exception Desk Setting © Enable Collaboration/Tracking from the Exception Desk and send Notification © Disable the Exception Desk for this Monitor-Notification Only		The second secon
Step 3 - Specify Monitor Settings Only one Trigger may be	Edit Monitor, Default Values Priority: Assign to:		
selected per Monitor. Detailed help for each Trigger type may be accessed by	High Beyer Weaver Thomas Select Altrigger Condition		
dicking on the button next to the corresponding Trigger. Default Monitor Priority and Assign To values may be	Date Companison		
modified by Notification List settings.	Customer Request Date 2 + 2 0 days 2 "System will compare against the date and time specified on Sales Order Did Not Ship	THE PARTY OF THE P	
	(STEP 2 STEP4)		
D HD Courset Do		NEW CHANG	
Stat Complete Nation NV	dence Horato S. Q Date on Main (1)	(c)########	ØN \$640 € 610 PM



₩ Vigilance Monitor Setup - Netscape	ĕ□×
X Vigilance monitor Setup - reaccore	的思维的
Back Follyard Reload Home Search Netrcape Pint Masecusty Shop Stop Stop	
	/hat's Related
Calendar WebMal 图 Patto 图 People 图 Yelow Roper 图 Download 图 Calendar In Channels	
Heyer yyeaver inomas cy vigitance inc.	
VIGILANCE GO TO:	
The state of the s	
New Monitor	
	:21
1 SELECT A MONITOR ITEM Monitor Name: [New Monitor]	=
Monitor Item: Sales Order Did Not Ship	LE NE
2 SPECIFY BUSINESS ATTRIBUTES: List Name: [New List]	
3. SPECIFY MONITOR SETTINGS	
& EDIT A NOTIFICATION LIST Salect Notification Method	
	1,
5 SAVE AND ACTIVATE GE-Mail C Alphanumeric pager C Numeric pager	3
☐ Disable Notification Grouping for selected users.*	į.
Step 4 - Notification Lists	;' ;
A Select Users	
If omlited, no email or pager Users Notification Recipients	
messages will be sent and all Alexander Jeffers Beyer Weaver Thomas(E)	
exceptions will be prioritized # Amie Wang	.,
and assigned to individuals as Andy Sawran	堿.
specified in Step 5. Anessa Katz	-4 -4
Creating multiple Notification Beyer Weaver Thomas Bill Bailey	
Lists allows different individuals to be notified for partial Bill Gilster	
cular instances of an Excep-	# T
fion. This is specified by Brian Clausen	# (
Business Attribute Values	. 8
identified for each Notification Select Notification Time	N
List. © At All Times or	31
# C From 9 2:00 2 AM 2 to 5 3:00 2 PM 3	1.4
1	[.*]
erri i Kr.	: /·
Salect Notification Days	· 💌

FIG. 24A

₹ Vigilance Monitor Setup - Netscape		©□×
File #Edit View (Go: #Communicators: Help Salk A. S		
Hack Ferward Sheload Home Search	Neiscape Pini Security Shop 5 Stop	
Bookmarks / Location: http://www.vigilance	TCCOTP GETTO MET RESISCAPITE THE SECOND SECO	What's Related
Markani Message 四 WebMai 四 Redo 四	eoole。回 Yelow Page: 回 Downsad。回 Calanda (画 Charnes) Beyer Weaver Thomas @ Vigilance Inc.	
VIGILANCE	Go To:	
New Monitor	0	Elegent in Section
1 Sales	outication Days	
& 6 Every	day or	1
# спм	1, Ѓі Ти, Гі W, Гі Тh, Пі F , Пі Sa, Пі Su	
A CALLETY	otification Delay	Ž.
المستود المهارية والها	immediately, no delay.	
I C Notify		
C Notify	when Exception Status is Closed	
Field Ba	sed Notification (Based on Email Address or Alias)	: :, 1
3 I I 3KL	ield-Based Notification	: :-
[Sele	ect One Monitor Item Attribute) 🔀	r .
1 1	e Safety Net [Select One User]	
	fication Method: Mail C Alphanumeric Pagers C Numeric Pagers	9,) 1
I E-1	Mail L. Alphanometic Pagers 1.2 Numeric , agore	2 .
	ese Recipients For	 1
C All ex	cceptions of this monitor	. . .
Spec	ific exceptions of this monitor (By Business Attributes)	; - i
		j ∵l
計 PACD Document Done		

FIG. 24B

₹Vigilance Monitor Setup - Netscape		
File Fild View (Go.) Communication Help		
Back Furnal Reload Homelt Search Netscape Phint Setup	curry of Shop 5 Stop 5 Stop 6	₩ (fi) What's Related
Bookmaks W. Cocator; http://www.vgarear.com/cataramanners.co	Download B Calendar, 6 Chann	
	Beyer Weaver Thomas @	Aiguance mc.
VIGILANCE	Go To:	
New Monitor		0
Business Attribute: Order	Track These	
*	[All Values]	
	•	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
	9	
#		EXAMPLE VELLEX
# Business Attribute: Product Fan		
T. Attribute Values	Track These	
DiskOrive100	[All Values]	\$100 A
HardDrive100	9	
PackagedDrives	3	
PCWD 32.53		
	The second secon	<u> </u>
Business Attribute: Plant		
Attribute Values	Track These [[All Values]	
TUSO1 E	[Call 4 didoo]	
₩ US03 (#	•	
1 EU01	.0	
Document Dare		(1) AU HP 回 2 /

2 Bookmarks / Loc	ad : FHome : Search (Netscape); I store http://www.viglanceinc.com/demo/M	onitorSetup/EVMonitorSetup.asp?Step=6	☑ (ਿ) What's Re
SILANCE	Monitor	W Pages (Channes) Beyer Weaver Thomas (Vig Go To:	lance Inc.
	Edit Noull Cadon Mess	ge	
	C Use Default Messai C Customize the Mes Select Exception Prop	_	~~ ~
	High Mame Notification List Notification List Name	Beyer Weaver Thomas	•
·	Existing Lists For This Monitor	[No Existing Notification List]	og trade in the second
		Fin	SHILIST

FIG./24D

File Led : View Go Communicator Helpings 100 100 100 100		
1 1 2 Fill State of Home Search Netscape	Pint Security Shoph Stoph 35 35	
Bookmarks / Location: http://www.vigilanceinc.com/demo/h	ManitorSetup/EVManitorSetup.asp?Step=6	What's Related
A Instant Message 四 WebMail 四 Radio : 四 Reopte : 四 Yel	low Pages Download 🔟 Calendar 🖦 Channels 🐑	
VIGILANCE	Beyer Weaver Thomas @ Vigila Go To:	ance inc.
New Monitor	G0 10. L.	0
↓ EditiNoutication, Mess	age. 10	5FO) = 2
C Use Default Messa	age .	
Customize the Me	SSAGE	
Customize Notificatio	n Message	
Numeric Pagers		
		7 2 2
# Albhanumeric Pager		uravi
Apnanumeric raggi		eelviene ii i
#		
E-Mail		
Vigilance has detected Ship exception with the	d a Sales Order Did Not Ale following characteristics:	
#1		1.5 1.5 2.5
#		
#		
\$\frac{1}{2} \text{Document: Done } \text{Document} \text{Const.}		

FIĢ. 24E








FIG. 24F





Exception Object Construct (Store Event Attribute (In database if "Persist Flag") Store Event Attribute Store Event Attribute (In database if "Persist Flag" Remove Stored Event Attribute (From database if "Persist Flag" is set) Attribute (From database if Attribute (From database if (In database if "Persist Flag" Remove Stored Event
Attribute (From database if
"Persist Flag" is set) Attribute (From database if Attribute (From database if Remove Stored Event Remove Stored Event Remove Stored Event "Persist Flag" is set) "Persist Flag" is set) "Persist Flag" is set) Remove Stored Even "Persist Flag" is set) Discard Event Version Event is set) is set) is set) -Xes≱ --Yes⊁ 2010 √ Vigilance Monitor/Trigger Conditions A. W. L. C. C. C. C. C. C. Calculate Time Window-/-Calculate Time Window ż Count Against Sliding ģ Match Paired Event Match Paired Event Register Timer Register Timer Windows 2552 -Yes¥ -Yes**≯** Locate Stored Entering Event ► Locate Stored Entering Event Locate Stored Entering Event (In database if "Persist Flag" Verify if received Entering Calculate Time Window / Register Timer Evaluate Attribute Values against Trigger Condition Receive Entering Event ģ ģ Store Event Attribute Event is set) 2608 زر و 202 71927 Impemding Event Cancel-By Paired Follow-By Paired Event Event Attribute Comparison Overdue & Multiple Occurrence Occurrence Event P. 22 Timer Event



Monitor object

	Monitor-Name	
1	2802)	ĺ
	Monitor Author	
	2804	
,	Condition	
_	2806	
	One or more	l.
	attributes 2808	ľ
	(e.g., including	
	one or more	
	values)	Ь
	Notification 2810	ľ
	Assignment 2812	_
,		

FIG. 28

xception object

	Exception opices	
Exception identifiér 2902	Exception description 2904	Event identifier 2906
Trigger condition 2908	Trigger type 2910	One or more attributes (e.g.,
Trigger condition 2500	Impgot type and the second	business metrics) 2912
One or more attribute values	Monitor name (2916)	Monitor item 2918
Notification/exception 2920	Assign to 2922	Priority 2924
Detection time 2926	Analysis 2928	Analysis author 2930 \

